


Controls for Resistance Welding EN1500

Seam Welding Controls



Features

- Seam Sequence
- Preheat/Postheat
- Up/Down Slope
- Continuous/Intermittent
- Beat/Non-Beat Operation
- End of Sequence Output
- · Hierarchical Initiation Structure
- Optional Manual Current Adjust

Capabilities

- 50 Unique Schedules
- Weld & Valve Control Relays
- One Valve Output
- Multiple Job Set-ups
- Easy to Program
- Program Only the Functions Required
- Spot/Roll Spot

• Simple to Program

Push buttons and a three-step procedure make easy work of programming any welding schedule.

Two Year Warranty

A two year warranty is offered on all ENTRON parts and assemblies. Expert phone support and application service are available at no cost.

• Change Current "On the Fly"

While welding, change current "on the fly" with Manual Current Adjust (optional).

• Direct Replacement for EN500

• Unique Design

Specifically designed for ALL types of seam welding, including roll spot.

EN1500 Series Controls

Seam Welding • Multiple Schedule/Multiple Sequence Controls

Date: April 2014 Supercedes: February 2007

SPECIFICATIONS

Absolute Count: Push Button Data Entry with Display

Squeeze Count:0 to 99 cycles, 50/60 HzPreheat Count:0 to 99 cycles, 50/60 HzWeld Count:continuous seam or intermittent seamCool Count:0 to 99 cycles, 50/60 HzPostheat Count:0 to 99 cycles, 50/60 HzHold Count:0 to 99 cycles, 50/60 HzSlope control/Up and Down Slope:0 to 99 cycles, 50/60 Hz

Digital Phase Shift Current Control, 10 to 99% in 1% current steps, all weld current functions It is NOT necessary to program functions NOT required, program only functions required

Standard RWMA/NEMA Programmable Functions

Including the following as examples:

Up Slope and Down Slope

Seam Weld (Continuous or Intermittent)

Multi-Weld Count/Multi-Current Select

Pre-Heat/Post-Heat

Priority heat select individual or switch on the fly Switch weld schedule on the fly upon limit switch input

Additional Features

Error Code/Fault Outputs

87° First Half Cycle Delayed Firing, Anti-Saturation Circuit

Dynamic Automatic Power Factor Equalization

Dynamic Automatic Voltage Compensation, ±20% of Nominal Line

Emergency Stop Circuit

Interlocking Pressure Switch Circuit

Single Stage Pilot/2 Stage Pilot

Beat/Non-Beat Operation

Operational Lights: Power On

Weld Current

Indicator Lights for all functions on

display panel

Valve Transformer: 50VA 230/460-

150V

Single Valve output standard, all

controls

(Optional) Change Current "On the Fly" (while welding) with Manual Current Adjust

The EN1500 Series Control is a microprocessor based resistance welding control. It has been designed specifically for Seam Welding applications. One outstanding feature of the EN1500 control is its ability to allow the operator concurrent adjustment of weld heat intensity during an initiated sequence (this feature is optional).

• Store up to 50 UNIQUE SCHEDULES

Every parameter of each schedule individually accessible Each schedule can store 11 distinct and totally different parameters All schedules retained in memory with power off It is NOT NECESSARY to program functions not required

- Single contactor circuitry; Process control outputs
- Additional Standard Features:

Priority Heat Select

Contactor Failed Detection (Circuit breaker with shunt trip, optional)

- Control can be INTERFACED with external Programmable Logic Control (PLC);
 Advanced interfaces available
- Meets or exceeds RWMA/NEMA standards

Distributed by:	



ENTRON Controls, LLC. 1402 S. Batesville Road Greer, SC 29650 (864) 416-0190 FAX (864) 416-0195 www.entroncontrols.com e-mail: info@entroncontrols.com

